






DRILLING JIG FOR TARGET J10-J12





16 - 30 mm




GENERAL SPECIFICATIONS



APPLICATION OPTIONS



DRILLING SPACERS FOR OTHER PANEL THICKNESSES






TARGET J10-J12 DRILLING JIG FOR PANEL THICKNESS 16 AND 18 mm




AL	ST	EP	= on request
Y0JG0100RO			

NOTE: The product code includes all the components shown in the picture.


TARGET J10-J12 DRILLING JIG ACCESSORIES



= M16		= on request
ST		
Y0JG0507ZN		Ø10
Y0JG0508ZN		Ø12



= M14		= on request
ST		
Y0JG0505ZN		Ø8
Y0JG0506ZN		Ø10



AL		= on request
Y0JG0511GR		1
Y0JG0512GR		1,5




DRILLING JIG DEPTH STOP COLLARS



ST		 = on request	
			
Y0JG051700		Ø8	
Y0JG051800		Ø10	
Y0JG051900		Ø12	

DRILL BITS



HSS		 = on request		
				
Y0JG052800		Ø8	117	Ø8
Y0JG052900		Ø10	133	Ø10
Y0JG053000		Ø12	150	Ø10

NOTE: For drilling jig we recommend to use precision-ground steel drill bit HSS-G.